

第一節

引言

Section 1

INTRODUCTION

1.1 熱帶氣旋刊物的沿革

除了在一九四零至一九四六年有過短暫中斷外，天文台自一八八四年以來便一直進行地面氣象觀測，並將整理好的數據撮列於由天文台出版的《氣象資料》年刊內。天文台在一九四七年開始進行高空氣象觀測後，該年刊便分成兩冊：分別是《氣象資料第一冊（地面觀測）》及《氣象資料第二冊（高空觀測）》。一九八一年，年刊第二冊改稱為《無線電探空儀觀測摘要》，而第一冊亦於一九八七年改稱為《香港地面觀測年報》。一九九三年，該兩刊物由一本名為《香港氣象觀測摘要》的新刊物所取代。這份摘要載列了地面及高空的氣象數據。

一八八四至一九三九年期間，部分對香港造成破壞的颱風的報告，曾以附錄形式載於《氣象資料》年刊內。而在一九四七至一九六七年出版的《天文台年報》，更擴充了有關熱帶氣旋的內容，收納所有導致香港吹烈風的熱帶氣旋的報告。其後，年刊系列加推《氣象資料第三冊（熱帶氣旋摘要）》，以記載每年北太平洋西部及南海區域所有熱帶氣旋的資料。此冊第一期在一九七一年出版，內容包括一九六八年赤道至北緯45度、東經100至160度範圍內所有熱帶氣旋的報告。由於有氣象偵察機提供報告（此項服務已在一九八七年八月停辦）及氣象衛星圖片，在原本資料短缺的海洋上追蹤熱帶氣旋位置的工作比從前順利得多。因此，第三冊的覆蓋範圍東面邊界於一九八五年開始，由東經160度伸展至180度。一九八七年，第三冊改稱為《熱帶氣旋年報》，但內容則大致上維持不變。本年報由一九九七年起以中英雙語刊出，一年後加設電腦光碟版，並在二零零零年以網上版取代印刷版。

在一九三九年及以前，每年北太平洋西部及南海區域的熱帶氣旋的路徑圖都收錄於《氣象資料》年刊內。由一九四七至一九六七年，則載列於《氣象資料第一冊》內。在一九六一年以前，熱帶氣旋的路徑只顯示每日位置。在較早期的刊物內，熱帶氣旋的每日定位時間在某程度上還未統一。但到了一九四四年以後，則一直維持以每日協調世界時（UTC）零時作定位。此項改變的資料詳載於天文台出版的《技術記錄第十一號第一冊》內。由一九六一年開始，所有熱帶氣旋的路徑圖都顯示每六小時的位置。

爲了能盡早滿足傳媒、航運界及其他有關人士或團體的需求，天文台自一九六零年開始就影響香港的個別熱帶氣旋編寫臨時報告。這些報告可提供給有需要的人士使用。初時，天文台只就那些曾導致天文台發出暴風或烈風信號的熱帶氣旋編寫臨時報告，但自一九六八年起，所有引致天文台發出熱帶氣旋警告信號的熱帶氣旋都有編寫臨時報告。

1.2 熱帶氣旋等級

本年報根據熱帶氣旋中心附近的最高持續地面風速，把熱帶氣旋分爲以下四個級別：

- (i) 熱帶低氣壓 (T.D.) 的最高持續風速爲每小時63公里以下。
- (ii) 熱帶風暴 (T.S.) 的最高持續風速爲每小時63至87公里。
- (iii) 強烈熱帶風暴 (S.T.S.) 的最高持續風速爲每小時88至117公里。
- (iv) 颱風 (T.) 的最高持續風速爲每小時118公里或以上。

除特別列明外，在本年報內提及的最高持續風速均爲10分鐘內風速的平均值；每小時平均風速爲該小時前60分鐘內的平均風速；每日雨量爲該日香港時間午夜前24小時內的總雨量。

1.3 熱帶氣旋命名

從一九四七年至一九九九年，北太平洋西部及南海區域的熱帶氣旋非正式地採用美國軍方「聯合颱風警報中心」所編訂的名單上的名字。但由二零零零年開始，日本氣象廳會根據一套新名單為每個達到熱帶風暴強度的熱帶氣旋命名。表1.1是二零零二年一月一日起生效的熱帶氣旋名單。這套名單經颱風委員會通過，一共有140個名字，分別由14個國家和地區提供。這些名字除了用於為國際航空及航海界發放的預測和警報外，亦是向國際傳媒發熱帶氣旋消息時採用的規範名稱。另外，日本氣象廳在一九八一年起已獲委託為每個在北太平洋西部及南海區域出現而達到熱帶風暴強度的熱帶氣旋編配一個四位數字編號。例如編號“0301”代表在二零零三年區內第一個被日本氣象廳分類為熱帶風暴或更強的熱帶氣旋。在本年報內，此編號會顯示在緊隨著熱帶氣旋名稱的括弧內，例如熱帶風暴欣欣(0301)。

1.4 資料來源

本年報內的地面風資料，是由天文台所操作的測風站網絡錄得的。表1.2是該網絡內各站的位置及海拔高度。

熱帶氣旋產生的最大風暴潮是由裝置在香港多處的潮汐測量器量度的。圖1.1是本年報內提及的各個風速表及潮汐測量站的分佈地點。

1.5 年報內容

本年報第二節是二零零三年所有影響北太平洋西部及南海區域的熱帶氣旋的概述。

而本年報第三節是二零零三年影響香港的熱帶氣旋的個別詳細報告，內容包括：

- (a) 該熱帶氣旋對香港造成的影響；
- (b) 發出熱帶氣旋警告信號的過程；
- (c) 香港各地錄得的最高陣風風速及最高每小時平均風速；
- (d) 香港天文台錄得的最低海平面氣壓；
- (e) 香港天文台及其他地方錄得的每日總雨量；
- (f) 香港各潮汐測量站錄得的最高潮位及最大風暴潮；及
- (g) 氣象衛星雲圖及雷達回波圖（如適用）。

有關熱帶氣旋的各種資料及統計表載於本年報第四節內。

二零零三年每個熱帶氣旋的每六小時位置，連同當時的最低中心氣壓及最高持續風速，則表列於本年報的第五節內。

本年報依照內文需要採用了不同的時間系統。正式的時間以協調世界時（即UTC）為準。至於在熱帶氣旋的敘述中，用作表示每天各時段的詞彙，例如“上午”、“下午”、“早上”、“黃昏”等則是指香港時間。香港時間為協調世界時加八小時。

1.1 Evolution of tropical cyclone publications

Apart from a short break during 1940-1946, surface observations of meteorological elements since 1884 have been summarized and published in the Observatory's annual publication "Meteorological Results". Upper-air observations began in 1947 and from then onwards the annual publication was divided into two parts, namely "Meteorological Results Part I - Surface Observations" and "Meteorological Results Part II - Upper-air Observations". These two publications were re-titled "Summary of Radiosonde-Radiowind Ascents" and "Surface Observations in Hong Kong" in 1981 and 1987 respectively. In 1993, both of these publications were made obsolete, and since then surface and upper-air data have been included in one revised publication entitled "Summary of Meteorological Observations in Hong Kong".

During the period 1884-1939, reports on some destructive typhoons were printed as Appendices to the "Meteorological Results". This practice was extended and accounts of all tropical cyclones which caused gales in Hong Kong were included in the publication "Director's Annual Departmental Reports" from 1947 to 1967 inclusive. The series "Meteorological Results Part III - Tropical Cyclone Summaries" was subsequently introduced. It contained information on tropical cyclones over the western North Pacific and the South China Sea. The first issue, which contained reports on tropical cyclones occurring in 1968, was published in 1971. Tropical cyclones within the area bounded by the Equator, 45°N, 100°E and 160°E were described. With reconnaissance aircraft reports (terminated from August 1987 onwards) and satellite pictures facilitating the tracking of tropical cyclones over the otherwise data-sparse ocean, the eastern boundary of the area of coverage was extended from 160°E to 180° from 1985 onwards. In 1987, the series was re-titled as "Tropical Cyclones in 19YY" but its contents remained largely the same. Starting from 1997, the series was published in both Chinese and English. The CD-ROM version of the publication first appeared in 1998 and the printed version was replaced by the Internet version in 2000.

Tracks of tropical cyclones in the western North Pacific and the South China Sea were published in "Meteorological Results" up to 1939 and in "Meteorological Results Part I" from 1947 to 1967. Before 1961, only daily positions were plotted on the tracks. The time of the daily positions varied to some extent in the older publications but remained fixed at 0000 UTC after 1944. Details of the variation are given in the Observatory's publication "Technical Memoir No. 11, Volume 1". From 1961 onwards, six-hourly positions are shown on the tracks of all tropical cyclones.

Provisional reports on individual tropical cyclones affecting Hong Kong have been prepared since 1960 to meet the immediate needs of the press, shipping companies and others. These reports are printed and supplied on request. Initially, provisional reports were only written on those tropical cyclones for which gale or storm signals had been issued in Hong Kong. From 1968 onwards, provisional reports were prepared for all tropical cyclones that necessitated the issuing of tropical cyclone warning signals.

1.2 Classification of tropical cyclones

In this publication, tropical cyclones are classified into the following four categories according to the maximum sustained surface winds near their centres :

- (i) A TROPICAL DEPRESSION (T.D.) has maximum sustained winds of less than 63 km/h.
- (ii) A TROPICAL STORM (T.S.) has maximum sustained winds in the range 63-87 km/h.
- (iii) A SEVERE TROPICAL STORM (S.T.S.) has maximum sustained winds in the range 88-117 km/h.
- (iv) A TYPHOON (T.) has maximum sustained winds of 118 km/h or more.

Throughout this publication, maximum sustained surface winds when used without qualification refer to wind speeds averaged over a period of 10 minutes. Mean hourly winds are winds averaged over a 60-minute interval ending on the hour. Daily rainfall amounts are computed over a 24-hour period ending at midnight Hong Kong Time.

1.3 Naming of tropical cyclones

Over the western North Pacific and the South China Sea between 1947 and 1999, tropical cyclone names were assigned by the U.S. Armed Forces' Joint Typhoon Warning Center according to a pre-determined but unofficial list. However, with effect from 2000, the Japan Meteorological Agency will assign names from a new list to tropical cyclones attaining tropical storm strength. Table 1.1 shows the name list effective from 1 January 2002. The name list was adopted by the Typhoon Committee. It consists of a total of 140 names contributed by 14 countries and territories. Apart from being used in forecasts and warnings issued to the international aviation and shipping communities, the names will also be used officially in information on tropical cyclones issued to the international press. Besides, Japan Meteorological Agency has been delegated since 1981 with the responsibility of assigning to each tropical cyclone in the western North Pacific and the South China Sea of tropical storm strength a numerical code of four digits. For example, the first tropical cyclone of tropical storm strength or above as classified by Japan Meteorological Agency which occurred within the region in 2003 was assigned the code "0301". In this publication, the appropriate code immediately follows the name of the tropical cyclone in bracket, e.g. Tropical Storm Yanyan (0301).

1.4 Data sources

Surface wind data presented in this report were obtained from a network of anemometers operated by the Hong Kong Observatory. Details of the stations are listed on Table 1.2.

Maximum storm surges caused by tropical cyclones were measured by tide gauges installed at several locations around Hong Kong. The locations of anemometers and tide gauges mentioned in this report are shown in Figure 1.1.

1.5 Content

In Section 2, an overview of all the tropical cyclones over the western North Pacific and the South China Sea in 2003 is presented.

The reports in Section 3 are individual accounts of the life history of tropical cyclones affecting Hong Kong in 2003. They include the following information :-

- (a) the effects of the tropical cyclone on Hong Kong;
- (b) the sequence of display of tropical cyclone warning signals;
- (c) the maximum gust peak speeds and maximum hourly mean winds recorded in Hong Kong;
- (d) the lowest sea level pressure recorded at the Hong Kong Observatory;
- (e) the daily amounts of rainfall recorded at the Hong Kong Observatory and selected locations;
- (f) the times and heights of the maximum sea level and maximum storm surge recorded at various tide stations in Hong Kong;
- (g) satellite imageries and radar echoes (if applicable).

Statistics and information relating to tropical cyclones are presented in various tables in Section 4.

Six-hourly positions together with the corresponding estimated minimum central pressures and maximum sustained surface winds for individual tropical cyclones are tabulated in Section 5.

In this publication, different times are used in different contexts. The official reference times are given in Co-ordinated Universal Time and labelled UTC. Times of the day expressed as "a.m.", "p.m.", "morning", "evening" etc. in the tropical cyclone narratives are in Hong Kong Time which is eight hours ahead of UTC.

表 1.1 二零零二年一月一日起生效的熱帶氣旋名單

TABLE 1.1 TROPICAL CYCLONE NAME LIST EFFECTIVE FROM 1 JANUARY 2002

來源	Contributed by	I	II	III	IV	V
		名字 Name	名字 Name	名字 Name	名字 Name	名字 Name
柬埔寨	Cambodia	達維 Damrey	康妮 Kong-rey	娜基莉 Nakri	科羅旺 Krovanh	莎莉嘉 Sarika
中國	China	龍王 Longwang	玉兔 Yutu	風神 Fengshen	杜鵑 Dajuan	海馬 Haima
北韓	DPR Korea	鴻雁 Kirogi	桃芝 Toraji	海鷗 Kalmaegi	鳴蟬 Maemi	米雷 Meari
中國香港	HK, China	啓德 Kai-tak	萬宜 Man-yi	鳳凰 Fung-wong	彩雲 Choi-wan	馬鞍 Ma-on
日本	Japan	天秤 Tembin	天兔 Usagi	北冕 Kammuri	巨爵 Koppu	蝎虎 Tokage
老撾	Lao PDR	布拉萬 Bolaven	帕布 Pabuk	巴蓬 Phanfone	凱薩娜 Ketsana	洛坦 Nock-ten
中國澳門	Macau, China	珍珠 Chanchu	蝴蝶 Wutip	黃蜂 Vongfong	芭瑪 Parma	梅花 Muifa
馬來西亞	Malaysia	杰拉華 Jelawat	聖帕 Sepat	鹿莎 Rusa	茉莉 Melor	苗柏 Merbok
米克羅尼西亞	Micronesia	艾雲尼 Ewiniar	菲特 Fitow	森拉克 Sinlaku	尼伯特 Nepartak	南瑪都 Nanmadol
菲律賓	Philippines	碧利斯 Bilis	丹娜絲 Danas	黑格比 Hagupit	盧碧 Lupit	塔拉斯 Talas
南韓	RO Korea	格美 Kaemi	百合 Nari	薔薇 Changmi	蘇特 Sudal	奧鹿 Noru
泰國	Thailand	派比安 Prapiroon	韋帕 Wipha	米克拉 Mekkhala	妮妲 Nida	玫瑰 Kulap
美國	U.S.A.	瑪莉亞 Maria	范斯高 Francisco	海高斯 Higos	奧麥斯 Omais	洛克 Roke
越南	Viet Nam	桑美 Saomai	利奇馬 Lekima	巴威 Bavi	康森 Conson	桑卡 Sonca
柬埔寨	Cambodia	寶霞 Bopha	羅莎 Krosa	美莎克 Maysak	燦都 Chanthu	納沙 Nesat
中國	China	悟空 Wukong	海燕 Haiyan	海神 Haishen	電母 Dianmu	海棠 Haitang
北韓	DPR Korea	清松 Sonamu	楊柳 Podul	鳳仙 Pongsona	蒲公英 Mindulle	尼格 Nalgae
中國香港	HK, China	珊珊 Shanshan	玲玲 Lingling	欣欣 Yanyan	婷婷 Tingting	榕樹 Banyan
日本	Japan	摩揭 Yagi	劍魚 Kajiki	鯨魚 Kujira	圓規 Kompasu	天鷹 Washi
老撾	Lao PDR	象神 Xangsane	法茜 Faxai	燦鴻 Chan-hom	南川 Namtheun	麥莎 Matsa

表 1.1 (續)
TABLE 1.1 (cont'd)

來源	Contributed by	I	II	III	IV	V
		名字 Name	名字 Name	名字 Name	名字 Name	名字 Name
中國澳門	Macau, China	貝碧嘉 Bebinca	畫眉 Vamei	蓮花 Linfa	瑪瑙 Malou	珊瑚 Sanvu
馬來西亞	Malaysia	溫比亞 Rumbia	塔巴 Tapah	浪卡 Nangka	莫蘭蒂 Meranti	瑪娃 Mawar
米克羅尼西亞	Micronesia	蘇力 Soulik	米娜 Mitag	蘇迪羅 Soudelor	雲娜 Rananim	古超 Guchol
菲律賓	Philippines	西馬侖 Cimaron	海貝思 Hagibis	伊布都 Imbudo	馬勒卡 Malakas	泰利 Talim
南韓	RO Korea	飛燕 Chebi	浣熊 Noguri	天鵝 Koni	鮎魚 Megi	彩蝶 Nabi
泰國	Thailand	榴槤 Durian	威馬遜 Rammasun	莫拉克 Morakot	暹芭 Chaba	卡努 Khanun
美國	U.S.A.	尤特 Utor	查特安 Chataan	艾濤 Etau	艾利 Aere	韋森特 Vicente
越南	Viet Nam	潭美 Trami	夏浪 Halong	環高 Vamco	桑達 Songda	蘇拉 Saola

表 1.2 本年報內各風速表的位置及海拔高度

TABLE 1.2 POSITIONS AND ELEVATIONS OF VARIOUS ANEMOMETERS MENTIONED IN THIS PUBLICATION

站 Station	位置 Position		風速表的 海拔高度(米) Elevation of anemometer above M.S.L. (m)
	北緯 Latitude N	東經 Longitude E	
中環 (天星碼頭) Central (Star Ferry Pier)	22°17'08"	114°09'31"	17
中環廣場 Central Plaza	22°16'53"	114°10'16"	378
香港國際機場 Hong Kong International Airport	22°19'00"	113°54'43"	14
長洲 Cheung Chau	22°12'04"	114°01'36"	99
長沙灣 Cheung Sha Wan	22°20'04"	114°09'05"	30
青洲 Green Island	22°17'12"	114°06'37"	105
啓德 Kai Tak	22°18'40"	114°12'39"	16
京士柏 King's Park	22°18'47"	114°10'13"	90
流浮山 Lau Fau Shan	22°28'14"	113°58'52"	50
北角 North Point	22°17'40"	114°11'59"	26
平洲 Ping Chau	22°32'54"	114°25'33"	39
西貢 Sai Kung	22°22'38"	114°16'18"	31
沙螺灣 Sha Lo Wan	22°17'33"	113°54'16"	71
沙田 Sha Tin	22°24'11"	114°12'31"	16
石崗 Shek Kong	22°26'02"	114°05'06"	26
天星碼頭 (九龍) Star Ferry Pier (Kowloon)	22°17'35"	114°10'07"	18
打鼓嶺 Ta Kwu Ling	22°31'50"	114°09'13"	28
大尾篤 Tai Mei Tuk	22°28'36"	114°14'06"	71
大帽山 Tai Mo Shan	22°24'40"	114°07'29"	969
塔門 Tap Mun	22°28'22"	114°21'29"	37
大老山 Tate's Cairn	22°21'34"	114°12'55"	588
鯽魚湖 Tsak Yue Wu	22°24'11"	114°19'24"	23
將軍澳 Tseung Kwan O	22°18'56"	114°15'20"	52
青衣 (青柏樓) Tsing Yi (Ching Pak House)	22°21'00"	114°06'24"	136
屯門 Tuen Mun	22°23'32"	113°58'27"	69
橫瀾島 Waglan Island	22°11'01"	114°18'02"	82
黃竹坑 Wong Chuk Hang	22°14'54"	114°10'15"	30




圖 1.1 本年報內提及的測風站及潮汐測量站之分佈地點。

FIGURE 1.1 LOCATIONS OF ANEMOMETERS AND TIDE GAUGE STATIONS MENTIONED IN THIS PUBLICATION.